

New York State HIV/AIDS Surveillance Semiannual Report

**For Cases Diagnosed
through December 2003**

**Bureau of HIV/AIDS Epidemiology
New York State Department of Health**

Notice to Readers: Updated January 2005

In 2004 the Center for Disease Control and Prevention (CDC) completed the Interstate Duplication Evaluation Project (IDEP) in which all states were required to participate. The purpose of the project was to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases are only counted once. If a case was reported by two or more states, the earliest date of diagnosis was used to determine which state the case was assigned to. CDC estimates that 30,000 of the AIDS cases in the national surveillance system were duplicates, representing less than 5% of the almost 1 million cases that have been reported to CDC over the history of the epidemic through 2002. It is anticipated that this process will be conducted on an ongoing basis.

The percent of AIDS cases that were lost in NYS due to this process was approximately 3%. Please note that this loss of AIDS cases will most likely not effect New York's Ryan White funding or other funding based on the AIDS case count because New York's estimated 3% loss in AIDS cases compares favorably with the average loss of cases for the nation which was a little less than 5%. The data presented in the December 2003 Semiannual Report reflects this change in the AIDS case count for NYS. The December 2002 and 2001 reports will be updated to reflect this change by March 1, 2005.

Attention Readers

On June 1, 2000, the New York State Department of Health (NYSDOH) implemented the HIV Reporting and Partner Notification Law. This law enhanced the existing AIDS case reporting by including reporting of HIV and HIV-related illness by health care providers and laboratories to the New York State Commissioner of Health.

The New York State AIDS Surveillance Quarterly Update has been extensively revised to include the HIV infection data in addition to AIDS data. This revised report will be referred to as the New York State HIV/AIDS Surveillance Semiannual Report and will be updated through June and December of each year. The format has been substantially redesigned based on comments from our readers. The data are presented in a more aggregated format to avoid censoring due to small cell sizes, and cases are reported by date of diagnosis rather than date of report. More finely delineated data may still be obtained through our data request unit by calling 518-474-4284. The regional grouping has remained the same: New York City (NYC), New York State (NYS) excluding NYC, Ryan White regions, counties and NYC boroughs. Since a large proportion of cases in NYS excluding NYC areas are prisoners, data on prisoners and the general population continue to be reported separately.

Another major change to the report format is that it only includes cases that have been unduplicated between NYC and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's Bureau of HIV/AIDS Epidemiology (BHAE). In NYC, HIV/AIDS surveillance is conducted by the NYC Department of Health's HIV Surveillance and Epidemiology Unit. Often, a case will be reported to both jurisdictions. Since NYC and NYS departments of health report HIV/AIDS data separately to the national Centers for Disease Control and Prevention (CDC) there is often an overlap of cases between the two jurisdictions. CDC unduplicates the data between the two jurisdictions. A case is only counted once and it is assigned to the county of residence at the time of the earliest report. This unduplicated count provides the basis for Ryan White and other federal funding to NYS. The numbers in this report reflect the algorithm used by CDC to unduplicate cases and, therefore, cannot be directly compared to data reported in past issues of the AIDS Surveillance Quarterly Update. Data that has not been unduplicated may also be obtained through our data request unit.

Data presented in this report on risk should be interpreted with caution. Due to the large increase in reported cases, backlogs have developed in case investigations which involve medical chart reviews. Since a medical chart review is usually required to obtain information on the mode of transmission (risk), this backlog has resulted in a large proportion of cases being presented with an unknown risk. The BHAE, will be investigating all cases reported without risk over the next two years, with priority being given to all newly diagnosed HIV and AIDS cases. Due to the large volume of cases in NYC, the HIV Surveillance and Epidemiology Unit will be investigating all AIDS cases reported without risk and a sample of the prevalent HIV cases.

To familiarize yourself with this revised reporting format and definitions contained in this report please read the following section on technical notes.

TECHNICAL NOTES ON HIV/AIDS SURVEILLANCE DATA

Introduction

This is the [HIV/AIDS Surveillance Semiannual Update](#), which is produced by the BHAE at the NYS Department of Health. Access to this publication is available through the internet at the following address: www.health.state.ny.us. When you get to the website, select *Information for Researchers* to access this report. Printed copies can be obtained by those without internet access by writing to:

Bureau of HIV/AIDS Epidemiology
P.O. Box 2073
ESP Station
Albany, New York 12220-0073

Data presented in this report is generated from information collected and maintained by BHAE and the NYC Department of Health's HIV Surveillance and Epidemiology Unit.

Reporting Procedures:

As of June 1, 2000, the NYS HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III) requires health care providers to report all initial determinations of HIV infection, diagnosis of HIV-related illness and diagnosis of AIDS to the NYS Commissioner of Health.* Laboratories are required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 or 29% of total lymphocytes.

Laboratories conducting HIV-related testing must report directly to the NYS Department of Health either electronically or on paper. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF). Copies can be obtained by calling 518-474-4284.

NYS providers outside of NYC should mail the completed PRF to:

Division of Epidemiology
P.O. Box 2073
ESP Station
Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

*Please note that HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local or the NYS TB Control Program at (518) 474-4845.

Definition of Terms Used in this Report

Confirmed Case: Reports for which the clinical and demographic data required by the national Centers for Disease Control and Prevention (CDC) to confirm a case have been obtained.

Case Investigation: Reports received without sufficient information to confirm the case or a confirmed case reported without risk are investigated by NYS or NYC public health representatives who examine medical records to obtain demographic information, clinical status and reported HIV exposure (risk).

HIV/AIDS Case Categories: This report classifies cases into the four categories listed below. HIV and AIDS cases are mutually exclusive. The newly diagnosed HIV and AIDS cases are subsets of the living HIV and AIDS categories.

- ***Living HIV Cases*** - This category includes all reported individuals living with HIV infection who have not developed AIDS. These are considered prevalent HIV cases. This category includes HIV cases reported by a provider indicating an initial HIV diagnosis or an HIV illness and/or by a laboratory reporting a positive western blot or a detectable viral load.
- ***Newly Diagnosed HIV Cases*** - This is a subset of all living HIV cases that are being reported for the first time by a laboratory reporting a positive western blot or by a physician reporting an initial HIV diagnosis, and has not been reported with AIDS through the end of the reported time period. Please note that HIV reporting just began in June of 2000 and that cases diagnosed prior to this time by a provider other than the current provider reporting the case may be misclassified as a newly diagnosed case. Once the majority of HIV cases in care have been reported, the level of misclassification will decrease.
- ***Living AIDS Cases*** - This category include all reported individuals living with AIDS. These are considered prevalent AIDS cases.
- ***Newly Diagnosed AIDS Cases*** - This is a subset of all living AIDS cases that are being diagnosed and reported with AIDS for the first time. This includes cases that have never been reported before and cases initially reported with HIV infection that have since developed AIDS.
- ***Cumulative AIDS Cases*** - This category includes all AIDS cases reported since 1983, both living and deceased.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on the provider form, laboratory report or in the patient's medical chart. This date may be months, or even years, prior to the date that the case was reported to the health department. In cases of HIV infection

diagnosed prior to June 1, 2000 that have not been investigated, the diagnosis date is the test date of the first laboratory report received.

Report date: The date that the case was confirmed.

Prisoner: Individuals diagnosed and reported while incarcerated in city or county jails or state prisons. Most prisoners are reported from state prisons and are assigned the county of residence of the prison in which they were diagnosed.

Assignment of HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically provided to health care providers during routine medical history taking, and obtained from review of the patient's medical records. An individual may have been potentially exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

Men who have sex with men (includes bisexual men)

Injection drug users

Men who have sex with men and inject drugs

Hemophiliacs or persons with other clotting disorders

Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS Transfusion and/or transplant recipients

Adult with undetermined mode of exposure

Confirmed other risk

Children:

Hemophiliacs or children with other clotting disorders

Mother is an injection drug user

Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood Transfusion recipient, an individual with documented HIV or AIDS

Mother received a transfusion or blood products

Mother had AIDS or is HIV-positive

Transfusion or transplant recipient

Child with undetermined mode of exposure

Pediatric other risk

Based on this hierarchy, for example, a women who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure precedes heterosexual contact on the hierarchy.

An individual with HIV/AIDS for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if s/he knows the partner's risk and/or

HIV status. In the absence of such information, the case is classified as having an undetermined exposure category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. Thus, a proportion of cases with an undetermined exposure category may be heterosexually exposed individuals. Both NYC and NYS surveillance units have been collecting information on "probable heterosexual exposure" which include persons with a history of heterosexual prostitution (sex work or exchange of sex for money or drugs), sexual contact with a prostitute of the opposite sex, multiple sex partners of the opposite sex, sexually transmitted disease, crack/cocaine use or immigration from a country where heterosexual transmission of HIV predominates. This information will be reported in future issues of this report.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Changes in the AIDS Surveillance Case Definition: A uniform surveillance case definition for AIDS was established by CDC in the early 1980s, and has since been modified three times, each time expanding the range of AIDS-indicator diseases and conditions and incorporating HIV diagnostic tests to improve the sensitivity and specificity of the definition. The first modification occurred in 1985, the second in 1987 and the most recent in 1993. The 1993 expansion of the AIDS case definition for adults and adolescent includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

Record Updates: When additional surveillance information is received on a confirmed case subsequent to the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. Therefore, month to month totals in some data elements (such as mode of exposure and diagnosis date) may change over time. With the implementation of HIV reporting, the number of prevalent HIV and AIDS cases for a

specified period of time may change, as individuals initially reported with HIV develop AIDS and are moved from the "HIV" to the "AIDS" category.

Age at diagnosis: The age at diagnosis of HIV and AIDS refers to the individual's age at the earliest, documented diagnosis. The CDC categorizes a case as **Pediatric** if an AIDS diagnosis was made prior to age 13. **Adult and Adolescent** cases refer to those cases diagnosed at age 13 or older.

Mortality Information: Vital status of cases is determined from updated case reports, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and the National Death Index. Unless a case is known to be deceased from these sources, they are **presumed to be alive**.

Prisoners: Cases categorized as "Prisoners" have been diagnosed while incarcerated in city or county jails or one of the NYS Department of Corrections (DOCS) facilities throughout NYS. Most prisoners are reported from a NYSDOCS facility. Prison cases are often presented separately from general population data because, if diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than their home address.

Regional Groupings: For this report, cases are assigned to the county of residence at time of earliest diagnosis. In NYC, data include all individuals who were residents of one of the five New York City boroughs at the time of initial diagnosis. NYS excluding NYC include all individuals whose residence was anywhere in NYS outside of NYC at the time of initial diagnosis.

TABLE OF CONTENTS:**STATEWIDE**

Table 1	AIDS cases by Region and Year of Diagnosis.....	Page 10
Table 2A	Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 11
Table 2B	Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 12

REGIONAL

Table 3A	NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 13
Table 3B	NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 14
Table 4A	NYS excluding NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 15
Table 4B	NYS excluding NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk.....	Page 16

NYS Excluding NYC - COUNTY

Table 5A	Living and Cumulative HIV/AIDS by County.....	Pages 17-18
Table 5B	Newly Diagnosed HIV/AIDS cases by County.....	Pages 19-20

NYC BY GENDER

Table 6A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 21
Table 6B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 22
Table 6C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 23
Table 6D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 24

NYS Excluding NYC by GENDER (excludes Prisoners)

Table 7A	Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 25
Table 7B	Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 26
Table 7C	Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 27
Table 7D	Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk.....	Page 28

PRISONERS - (NYS Excluding NYC)

Table 8A	Living HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 29
Table 8B	Newly Diagnosed HIV/AIDS cases by Gender, Age and Race/Ethnicity.....	Page 30

NYS Excluding NYC

Table 9A	Living and Cumulative HIV/AIDS cases by Ryan White Region.....	Page 31
Table 9B	Newly Diagnosed HIV/AIDS cases by Ryan White Region.....	Page 32

NYS Excluding NYC - Ryan White Regions

The following two tables have been generated for each of the Ryan White Regions:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
B - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 10 - A,B	Albany Ryan White Region.....	Pages 33-34
Table 11 - A,B	Binghamton Ryan White Region.....	Pages 35-36
Table 12 - A,B	Buffalo Ryan White Region.....	Pages 37-38
Table 13 - A,B	Lower Hudson Ryan White Region.....	Pages 39-40
Table 14 - A,B	Mid Hudson Ryan White Region.....	Pages 41-42
Table 15 - A,B	Nassau/Suffolk Ryan White Region.....	Pages 43-44
Table 16 - A,B	Rochester Ryan White Region.....	Pages 45-46
Table 17 - A,B	Syracuse Ryan White Region.....	Pages 47-48

NYC - Boroughs

Table 18	Living HIV/AIDS, Cumulative AIDS and Newly Diagnosed HIV/AIDS by Borough.....	Page 49
----------	---	---------

The following two tables have been generated for each of the Boroughs:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
B - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

Table 19 - A,B	Bronx	Pages 50-51
Table 20 - A,B	Brooklyn	Pages 52-53
Table 21 - A,B	Manhattan	Pages 54-55
Table 22 - A,B	Queens	Pages 56-57
Table 23 - A,B	Staten Island	Pages 58-59

STATEWIDE: Includes all 62 Counties

Table 1
New York State AIDS Cases*
by Region and Year of Diagnosis

Year	Number of Cases Diagnosed		
	NYC	Upstate	Total
Prior to 1981	49	0	49
1981	149	7	156
1982	491	33	524
1983	1,045	125	1,170
1984	1,763	249	2,012
1985	2,716	450	3,166
1986	3,895	706	4,601
1987	4,874	1,022	5,896
1988	6,030	1,283	7,313
1989	6,340	1,554	7,894
1990	7,200	1,706	8,906
1991	8,319	2,114	10,433
1992	9,997	2,596	12,593
1993	11,498	2,824	14,322
1994	11,360	2,605	13,965
1995	10,129	2,655	12,784
1996	8,357	2,181	10,538
1997	6,717	1,551	8,268
1998	5,101	1,237	6,338
1999	4,777	1,193	5,970
2000	5,710	1,358	7,068
2001	4,804	1,262	6,066
2002	3,983	1,162	5,145
2003**	4,576	1,062	5,638
<i>TOTAL</i>	<i>129,880</i>	<i>30,935</i>	<i>160,815</i>

* Cases reported and confirmed through December 2004

**Data incomplete due to lag in reporting

STATEWIDE: Includes all 62 Counties**2A**

**HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003**

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	22,672	0.64	45,470	0.71	120,309	0.75
Female	12,410	0.35	18,747	0.29	40,506	0.25
Unk	222	0.01	0	0.00	0	0.00
TOTAL	35,304	1.00	64,217	1.00	160,815	1.00
Age Group						
<13	1,765	0.05	836	0.01	2,320	0.01
13-19	792	0.02	549	0.01	792	0.00
20-24	2,409	0.07	1,869	0.03	3,896	0.02
25-29	4,089	0.12	6,183	0.10	15,557	0.10
30-49	22,161	0.63	46,681	0.73	116,405	0.72
50+	3,961	0.11	8,099	0.13	21,845	0.14
Unk	127	0.00	0	0.00	0	0.00
TOTAL	35,304	1.00	64,217	1.00	160,815	1.00
Race/Ethnicity						
White	8,212	0.23	14,335	0.22	41,870	0.26
Black	15,598	0.44	29,145	0.45	70,347	0.44
Hispanic	10,130	0.29	19,745	0.31	46,973	0.29
Asian/PI	345	0.01	569	0.01	1,094	0.01
Native Am	54	0.00	66	0.00	107	0.00
Multi Race	32	0.00	78	0.00	81	0.00
Other/Unk	933	0.03	279	0.00	343	0.00
TOTAL	35,304	1.00	64,217	1.00	160,815	1.00
Risk						
MSM	8,692	0.25	15,886	0.25	45,421	0.28
IDU	4,745	0.13	18,855	0.29	62,838	0.39
MSM/IDU	421	0.01	1,372	0.02	4,706	0.03
Heterosexual	5,508	0.16	9,553	0.15	17,436	0.11
Blood Prod.	134	0.00	415	0.01	1,348	0.01
Pediatric Risk	1,445	0.04	914	0.01	2,391	0.01
Other/Unk	14,359	0.41	17,222	0.27	26,675	0.17
TOTAL	35,304	1.00	64,217	1.00	160,815	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

STATEWIDE: Includes all 62 Counties				
Table 2B Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk Diagnosed January 2003 - December 2003				
	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	2,207	0.66	3,802	0.67
Female	1,125	0.34	1,836	0.33
TOTAL	3,332	1.00	5,638	1.00
Age Group				
<13	18	0.01	6	0.00
13-19	128	0.04	38	0.01
20-24	330	0.10	163	0.03
25-29	400	0.12	343	0.06
30-49	2,030	0.61	3,895	0.69
50+	424	0.13	1,193	0.21
unk	2	0.00	0	0.00
TOTAL	3,332	1.00	5,638	1.00
Race/Ethnicity				
White	636	0.19	1,080	0.19
Black	1,673	0.50	2,820	0.50
Hispanic	940	0.28	1,611	0.29
Asian/PI	55	0.02	68	0.01
Native Am	9	0.00	13	0.00
Multi Race	3	0.00	6	0.00
Other/Unk	16	0.00	40	0.01
TOTAL	3,332	1.00	5,638	1.00
Risk				
MSM	1,001	0.30	1,316	0.23
IDU	292	0.09	865	0.15
MSM/IDU	30	0.01	73	0.01
Heterosexual	485	0.15	944	0.17
Blood Prod.	13	0.00	39	0.01
Pediatric Risk	15	0.00	5	0.00
Other/Unk	1,496	0.45	2,396	0.42
TOTAL	3,332	1.00	5,638	1.00

*Cases reported and confirmed through December 2004

NEW YORK CITY - TOTAL

Table 3A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	16,968	0.63	35,385	0.70	96,187	0.74
Female	9,559	0.36	15,104	0.30	33,693	0.26
Unk	221	0.01	0	0.00	0	0.00
TOTAL	26,748	1.00	50,489	1.00	129,880	1.00
Age Group						
<13	1,512	0.06	728	0.01	2,011	0.02
13-19	575	0.02	427	0.01	601	0.00
20-24	1,850	0.07	1,481	0.03	3,083	0.02
25-29	3,139	0.12	4,787	0.09	12,182	0.09
30-49	16,602	0.62	36,342	0.72	93,549	0.72
50+	3,051	0.11	6,724	0.13	18,454	0.14
Unk	19	0.00	0	0.00	0	0.00
TOTAL	26,748	1.00	50,489	1.00	129,880	1.00
Race/Ethnicity						
White	5,642	0.21	9,907	0.20	29,837	0.23
Black	11,892	0.44	23,073	0.46	57,746	0.44
Hispanic	7,973	0.30	16,684	0.33	40,926	0.32
Asian/PI	314	0.01	528	0.01	1,017	0.01
Native Am	26	0.00	32	0.00	56	0.00
Multi Race	7	0.00	9	0.00	9	0.00
Other/Unk	894	0.03	256	0.01	289	0.00
TOTAL	26,748	1.00	50,489	1.00	129,880	1.00
Risk						
MSM	7,101	0.27	12,905	0.26	37,505	0.29
IDU	2,898	0.11	14,450	0.29	50,332	0.39
MSM/IDU	279	0.01	930	0.02	3,452	0.03
Heterosexual	3,924	0.15	7,325	0.15	13,792	0.11
Blood Prod.	100	0.00	293	0.01	874	0.01
Pediatric Risk	1,269	0.05	793	0.02	2,057	0.02
Other/Unk	11,177	0.42	13,793	0.27	21,868	0.17
TOTAL	26,748	1.00	50,489	1.00	129,880	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

NEW YORK CITY - TOTAL

Table 3B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	1,870	0.67	3,057	0.67
Female	937	0.33	1,519	0.33
TOTAL	2,807	1.00	4,576	1.00
Age Group				
<13	12	0.00	6	0.00
13-19	100	0.04	31	0.01
20-24	272	0.10	142	0.03
25-29	349	0.12	277	0.06
30-49	1,716	0.61	3,138	0.69
50+	358	0.13	982	0.21
TOTAL	2,807	1.00	4,576	1.00
Race/Ethnicity				
White	472	0.17	756	0.17
Black	1,411	0.50	2,307	0.50
Hispanic	852	0.30	1,402	0.31
Asian/PI	52	0.02	63	0.01
Native Am	6	0.00	8	0.00
Other/Unk	14	0.00	40	0.01
TOTAL	2,807	1.00	4,576	1.00
Risk				
MSM	862	0.31	1,074	0.23
IDU	237	0.08	633	0.14
MSM/IDU	25	0.01	48	0.01
Heterosexual	385	0.14	718	0.16
Blood Prod.	11	0.00	31	0.01
Pediatric Risk	11	0.00	4	0.00
Other/Unk	1,276	0.45	2,068	0.45
TOTAL	2,807	1.00	4,576	1.00

*Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - Includes Prisoners						
Table 4A HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed Through December 2003						
	Living HIV*		AIDS**			
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	5,704	0.67	10,085	0.73	24,122	0.78
Female	2,851	0.33	3,643	0.27	6,813	0.22
Unk	1	0.00	0	0.00	0	0.00
TOTAL	8,556	1.00	13,728	1.00	30,935	1.00
Age Group						
<13	253	0.03	108	0.01	309	0.01
13-19	217	0.03	122	0.01	191	0.01
20-24	559	0.07	388	0.03	813	0.03
25-29	950	0.11	1,396	0.10	3,375	0.11
30-49	5,559	0.65	10,339	0.75	22,856	0.74
50+	910	0.11	1,375	0.10	3,391	0.11
Unk	108	0.01	0	0.00	0	0.00
TOTAL	8,556	1.00	13,728	1.00	30,935	1.00
Race/Ethnicity						
White	2,570	0.30	4,428	0.32	12,033	0.39
Black	3,706	0.43	6,072	0.44	12,601	0.41
Hispanic	2,157	0.25	3,061	0.22	6,047	0.20
Asian/PI	31	0.00	41	0.00	77	0.00
Native Am	28	0.00	34	0.00	51	0.00
Multi Race	25	0.00	69	0.00	72	0.00
Other/Unk	39	0.00	23	0.00	54	0.00
TOTAL	8,556	1.00	13,728	1.00	30,935	1.00
Risk						
MSM	1,591	0.19	2,981	0.22	7,916	0.26
IDU	1,847	0.22	4,405	0.32	12,506	0.40
MSM/IDU	142	0.02	442	0.03	1,254	0.04
Heterosexual	1,584	0.19	2,228	0.16	3,644	0.12
Blood Prod.	34	0.00	122	0.01	474	0.02
Pediatric Risk	176	0.02	121	0.01	334	0.01
Other/Unk	3,182	0.37	3,429	0.25	4,807	0.16
TOTAL	8,556	1.00	13,728	1.00	30,935	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

NEW YORK STATE (Excluding NYC) - Includes Prisoners

Table 4B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	337	0.64	745	0.70
Female	188	0.36	317	0.30
TOTAL	525	1.00	1,062	1.00
Age Group				
<13	6	0.01	0	0.00
13-19	28	0.05	7	0.01
20-24	58	0.11	21	0.02
25-29	51	0.10	66	0.06
30-49	314	0.60	757	0.71
50+	66	0.13	211	0.20
unk	2	0.00	0	0.00
TOTAL	525	1.00	1,062	1.00
Race/Ethnicity				
White	164	0.31	324	0.31
Black	262	0.50	513	0.48
Hispanic	88	0.17	209	0.20
Asian/PI	3	0.01	5	0.00
Native Am	3	0.01	5	0.00
Multi Race	3	0.01	6	0.01
Other/Unk	2	0.00	0	0.00
TOTAL	525	1.00	1,062	1.00
Risk				
MSM	139	0.26	242	0.23
IDU	55	0.10	232	0.22
MSM/IDU	5	0.01	25	0.02
Heterosexual	100	0.19	226	0.21
Blood Prod.	2	0.00	8	0.01
Pediatric Risk	4	0.01	1	0.00
Other/Unk	220	0.42	328	0.31
TOTAL	525	1.00	1,062	1.00

*Cases reported and confirmed through December 2004

NEW YORK STATE: (Excluding NYC)
by County

Pages 17-18

Table 5A
HIV/AIDS Cases
Diagnosed through December 2003

County	Living HIV*		AIDS**			
			Living		Cumulative	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	319	354	458	478	1,002	1,032
Allegany	3	3	8	9	20	21
Broome	109	112	122	126	261	265
Cattaraugus	19	59	18	42	42	71
Cayuga	19	104	40	135	75	286
Chautauqua	50	106	57	73	107	128
Chemung	31	81	32	89	113	245
Chenango	14	19	23	31	38	52
Clinton	18	130	25	204	56	439
Columbia	29	72	30	57	79	130
Cortland	5	5	7	7	19	19
Delaware	21	21	20	21	40	41
Dutchess	191	380	345	630	862	1,497
Erie	509	601	756	857	1,778	1,973
Essex	11	56	16	81	48	179
Franklin	13	231	18	217	34	360
Fulton	16	18	18	19	38	40
Genesee	15	15	21	23	43	45
Greene	20	73	38	113	68	206
Hamilton	1	1	1	1	2	2
Herkimer	13	13	13	13	31	31
Jefferson	24	194	37	170	72	280
Lewis	21	21	5	6	11	12
Livingston	13	96	31	102	67	200
Madison	12	13	14	26	33	49
Monroe	568	597	939	957	2,028	2,061
Montgomery	24	26	28	28	70	70
Nassau	619	642	1,423	1,446	3,681	3,725
Niagara	45	48	75	79	209	213
Oneida	98	355	153	466	340	909
Onondaga	254	262	455	465	1,037	1,052
Ontario	20	21	33	34	55	56
Orange	207	295	443	568	1,066	1,289
Orleans	11	250	23	234	40	355
Oswego	20	20	38	38	79	79
Otsego	21	21	29	30	64	65
Putnam	23	24	71	72	165	166

County	Living HIV*		AIDS**			
			Living		Cumulative	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Rensselaer	75	79	114	118	242	246
Rockland	141	144	379	444	844	911
Saratoga	38	82	70	125	168	284
Schenectady	142	148	159	171	367	380
Schoharie	12	19	7	11	32	36
Schuyler	2	7	2	4	12	14
Seneca	9	109	8	53	20	70
St Lawrence	29	192	42	193	70	302
Steuben	17	19	25	25	71	71
Suffolk	675	694	1,425	1,450	3,638	3,696
Sullivan	112	172	178	252	470	622
Tioga	9	9	10	10	27	27
Tompkins	18	19	60	63	117	120
Ulster	113	222	244	409	577	877
Warren	17	17	27	27	57	57
Washington	10	106	18	107	44	284
Wayne	34	45	33	46	80	98
Westchester	745	1,008	1,860	2,124	4,408	4,883
Wyoming	6	119	9	147	17	304
Yates	7	7	2	2	9	9
Unk	0	0	0	0	1	1
TOTAL	5,617	8,556	10,535	13,728	25,044	30,935

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

**NEW YORK STATE: (Excluding NYC)
by County**

Pages 19-20

**Table 5B
Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2003 - December 2003**

County	Initial HIV Diagnosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Albany	19	20	36	41
Allegany	0	0	1	1
Broome	5	5	13	13
Cattaraugus	0	0	3	6
Cayuga	0	0	7	10
Chautauqua	3	3	4	4
Chemung	2	2	3	9
Chenango	0	0	4	5
Clinton	1	1	3	13
Columbia	2	2	2	2
Cortland	0	0	0	0
Delaware	2	2	3	3
Dutchess	13	17	21	40
Erie	42	43	76	80
Essex	1	3	1	5
Franklin	1	4	2	10
Fulton	3	3	2	2
Genesee	1	1	1	1
Greene	0	0	7	15
Hamilton	0	0	0	0
Herkimer	2	2	1	1
Jefferson	1	2	6	8
Lewis	1	1	1	1
Livingston	1	3	5	6
Madison	3	3	0	0
Monroe	59	59	70	72
Montgomery	1	1	1	1
Nassau	54	55	100	102
Niagara	3	3	11	13
Oneida	10	11	16	30
Onondaga	28	28	31	32
Ontario	3	3	3	3
Orange	15	16	52	71
Orlean	2	3	4	13
Oswego	1	1	1	1
Otsego	1	1	4	4

County	Initial HIV Diagnosis		Initial AIDS Diagnosis	
	Excludes Prisoners	Includes Prisoners	Excludes Prisoners	Includes Prisoners
Putnam	3	3	6	6
Rensselaer	12	12	13	14
Rockland	13	13	23	23
Saratoga	2	5	11	14
Schenectady	13	13	12	15
Schoharie	0	0	1	1
Schuyler	1	1	0	0
Seneca	1	4	4	9
St Lawrence	2	4	4	9
Steuben	0	0	4	4
Suffolk	75	77	120	123
Sullivan	11	11	13	15
Tioga	0	0	4	4
Tompkins	2	2	2	2
Ulster	11	11	19	29
Warren	2	2	0	0
Washington	1	1	0	1
Wayne	3	3	3	3
Westchester	60	63	145	164
Wyoming	1	2	1	7
Yates	0	0	1	1
<i>TOTAL</i>	<i>493</i>	<i>525</i>	<i>881</i>	<i>1,062</i>

*Cases reported and confirmed through December 2004

NEW YORK CITY - *Males*

Table 6A
Living (Prevalent) HIV/AIDS Cases (including prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed through December 2003*

	HIV		AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	733	0.04	358	0.01
13-19	282	0.02	207	0.01
20-24	1,055	0.06	854	0.02
25-29	1,959	0.12	3,137	0.09
30-49	10,853	0.64	25,786	0.73
50+	2,076	0.12	5,043	0.14
Unk	10	0.00	0	0.00
TOTAL	16,968	1.00	35,385	1.00
Race/Ethnicity				
White	4,888	0.29	8,392	0.24
Black	6,258	0.37	14,543	0.41
Hispanic	5,078	0.30	11,786	0.33
Asian/PI	239	0.01	437	0.01
Native Am	17	0.00	26	0.00
Multi Race	5	0.00	8	0.00
Other/Unk	483	0.03	193	0.01
TOTAL	16,968	1.00	35,385	1.00
Risk				
MSM	7,101	0.42	12,905	0.36
IDU	1,819	0.11	9,976	0.28
MSM/IDU	279	0.02	930	0.03
Heterosexual	1,187	0.07	2,386	0.07
Bld/hemop/trans	36	0.00	136	0.00
Pediatric Risk	626	0.04	391	0.01
Other/Unk	5,920	0.35	8,661	0.24
TOTAL	16,968	1.00	35,385	1.00

* Cases reported and confirmed through December 2004

NEW YORK CITY - *Males*

Table 6B
Newly Diagnosed HIV/AIDS Cases (including prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003*

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	5	0.00	3	0.00
13-19	63	0.03	19	0.01
20-24	169	0.09	95	0.03
25-29	243	0.13	160	0.05
30-49	1,154	0.62	2,099	0.69
50+	236	0.13	681	0.22
TOTAL	1,870	1.00	3,057	1.00
Race/Ethnicity				
White	426	0.23	645	0.21
Black	790	0.42	1,371	0.45
Hispanic	598	0.32	956	0.31
Asian/PI	40	0.02	50	0.02
Native Am	3	0.00	6	0.00
Other/Unk	13	0.01	29	0.01
TOTAL	1,870	1.00	3,057	1.00
Risk				
MSM	862	0.46	1,074	0.35
IDU	171	0.09	434	0.14
MSM/IDU	25	0.01	48	0.02
Heterosexual	148	0.08	268	0.09
Bld/hemop/trans	2	0.00	13	0.00
Pediatric risk	5	0.00	2	0.00
Other/Unk	657	0.35	1,218	0.40
TOTAL	1,870	1.00	3,057	1.00

*Cases reported and confirmed through December 2004

NEW YORK CITY - Females

Table 6C
Living HIV/AIDS Cases (including prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed through December 2003*

	HIV		AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	756	0.08	370	0.02
13-19	292	0.03	220	0.01
20-24	791	0.08	627	0.04
25-29	1,169	0.12	1,650	0.11
30-49	5,600	0.59	10,556	0.70
50+	942	0.10	1,681	0.11
Unk	9	0.00	0	0.00
TOTAL	9,559	1.00	15,104	1.00
Race/Ethnicity				
White	754	0.08	1,515	0.10
Black	5,633	0.59	8,530	0.56
Hispanic	2,894	0.30	4,898	0.32
Asian/PI	75	0.01	91	0.01
Native Am	9	0.00	6	0.00
Multi Race	2	0.00	1	0.00
Other/Unk	192	0.02	63	0.00
TOTAL	9,559	1.00	15,104	1.00
Risk				
IDU	1,079	0.11	4,474	0.30
Heterosexual	2,737	0.29	4,939	0.33
Bld/hemop/trans	64	0.01	157	0.01
Pediatric Risk	643	0.07	402	0.03
Unk	5,036	0.53	5,132	0.34
TOTAL	9,559	1.00	15,104	1.00

*Cases reported and confirmed through December 2004

NEW YORK CITY - Females

Table 6D
Newly Diagnosed HIV/AIDS Cases (including prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003*

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	7	0.01	3	0.00
13-19	37	0.04	12	0.01
20-24	103	0.11	47	0.03
25-29	106	0.11	117	0.08
30-49	562	0.60	1,039	0.68
50+	122	0.13	301	0.20
TOTAL	937	1.00	1,519	1.00
Race/Ethnicity				
White	46	0.05	111	0.07
Black	621	0.66	936	0.62
Hispanic	254	0.27	446	0.29
Asian/PI	12	0.01	13	0.01
Native Am	3	0.00	2	0.00
Other/Unk	1	0.00	11	0.01
TOTAL	937	1.00	1,519	1.00
Risk				
IDU	66	0.07	199	0.13
Heterosexual	237	0.25	450	0.30
Bld/hemop/trans	9	0.01	18	0.01
Pediatric risk	6	0.01	2	0.00
Other/Unk	619	0.66	850	0.56
TOTAL	937	1.00	1,519	1.00

* Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - MALES

Table 7A
Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk, Diagnosed through December 2003

	HIV		AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	123	0.04	57	0.01
13-19	84	0.02	58	0.01
20-24	244	0.07	170	0.02
25-29	398	0.12	626	0.09
30-49	2,109	0.63	5,477	0.75
50+	350	0.10	905	0.12
Unk	63	0.02	0	0.00
TOTAL	3,371	1.00	7,293	1.00
Race/Ethnicity				
White	1,596	0.47	3,216	0.44
Black	1,189	0.35	2,803	0.38
Hispanic	516	0.15	1,175	0.16
Asian/PI	19	0.01	28	0.00
Native Am	10	0.00	18	0.00
Multi Race	13	0.00	40	0.01
Other/Unk	28	0.01	13	0.00
TOTAL	3,371	1.00	7,293	1.00
Risk				
MSM	1,537	0.46	2,888	0.40
IDU	653	0.19	2,159	0.30
MSM/IDU	120	0.04	392	0.05
Heterosexual	330	0.10	589	0.08
Bld/hemop/trans	23	0.01	84	0.01
Pediatric risk	88	0.03	69	0.01
Other/Unk	620	0.18	1,112	0.15
TOTAL	3,371	1.00	7,293	1.00

* Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - MALES

Table 7B
Newly Diagnosed HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003*

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	2	0.01	0	0.00
13-19	17	0.05	4	0.01
20-24	36	0.12	11	0.02
25-29	29	0.09	29	0.05
30-49	185	0.59	413	0.70
50+	42	0.13	137	0.23
Unk	1	0.00	0	0.00
TOTAL	312	1.00	594	1.00
Race/Ethnicity				
White	113	0.36	244	0.41
Black	144	0.46	243	0.41
Hispanic	47	0.15	103	0.17
Asian/PI	1	0.00	2	0.00
Native Am	2	0.01	0	0.00
Multi Race	3	0.01	2	0.00
Other/Unk	2	0.01	0	0.00
TOTAL	312	1.00	594	1.00
Risk				
MSM	138	0.44	232	0.39
IDU	32	0.10	111	0.19
MSM/IDU	3	0.01	24	0.04
Heterosexual	24	0.08	73	0.12
Bld/hemop/trans	1	0.00	3	0.01
Pediatric Risk	2	0.01	1	0.00
Other/Unk	112	0.36	150	0.25
TOTAL	312	1.00	594	1.00

* Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - FEMALES				
Table 7C				
Living HIV/AIDS Cases (excluding prisoners)				
by Age, Race/Ethnicity and Risk				
Diagnosed through December 2003*				
	HIV		AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	128	0.06	51	0.02
13-19	119	0.05	56	0.02
20-24	224	0.10	135	0.04
25-29	316	0.14	406	0.13
30-49	1,264	0.56	2,323	0.72
50+	156	0.07	271	0.08
Unk	38	0.02	0	0.00
TOTAL	2,245	1.00	3,242	1.00
Race/Ethnicity				
White	728	0.32	960	0.30
Black	1,126	0.50	1,711	0.53
Hispanic	357	0.16	525	0.16
Asian/PI	9	0.00	9	0.00
Native Am	10	0.00	8	0.00
Multi Race	8	0.00	22	0.01
Other/Unk	7	0.00	7	0.00
TOTAL	2,245	1.00	3,242	1.00
Risk				
IDU	430	0.19	968	0.30
Heterosexual	1,108	0.49	1,508	0.47
Bld/hemop/trans	11	0.00	34	0.01
Pediatric risk	88	0.04	52	0.02
Unk	608	0.27	680	0.21
TOTAL	2,245	1.00	3,242	1.00

*Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - FEMALES

Table 7D
Newly Diagnosed HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003*

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Age Group				
<13	3	0.02	0	0.00
13-19	11	0.06	3	0.01
20-24	21	0.12	9	0.03
25-29	19	0.10	22	0.08
30-49	106	0.59	214	0.75
50+	20	0.11	39	0.14
Unk	1	0.01	0	
TOTAL	181	1.00	287	1.00
Race/Ethnicity				
White	51	0.28	63	0.22
Black	94	0.52	169	0.59
Hispanic	33	0.18	49	0.17
Asian/PI	2	0.01	2	0.01
Native Am	1	0.01	2	0.01
Multi Race	0	0.00	2	0.01
TOTAL	181	1.00	287	1.00
Risk				
IDU	15	0.08	54	0.19
Heterosexual	69	0.38	134	0.47
Bld/hemop/trans	1	0.01	4	0.01
Pediatric risk	2	0.01	0	0.00
Unk	94	0.52	95	0.33
TOTAL	181	1.00	287	1.00

*Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - PRISONERS

Table 8A
Living HIV/AIDS Cases*
Diagnosed through December 2003

MALES		HIV		AIDS	
Age Group	Number	Percent	Number	Percent	
<13	2	0.00	0	0.00	
13-19	12	0.01	6	0.00	
20-24	63	0.03	74	0.02	
25-29	176	0.07	325	0.11	
30-49	1,765	0.74	2,425	0.80	
50+	359	0.15	198	0.07	
Unk	6	0.00	0	0.00	
TOTAL	2,383	1.00	3,028	1.00	
Race/Ethnicity					
White	189	0.08	234	0.08	
Black	1,111	0.47	1,417	0.47	
Hispanic	1,068	0.45	1,357	0.45	
Asian/PI	3	0.00	4	0.00	
Native Am	6	0.00	7	0.00	
Multi Race	3	0.00	7	0.00	
Other/Unk	3	0.00	2	0.00	
TOTAL	2,383	1.00	3,028	1.00	
FEMALES		HIV		AIDS	
Age Group	Number	Percent	Number	Percent	
13-19	3	0.00	2	0.00	
20-24	28	0.05	15	0.03	
25-29	65	0.11	66	0.15	
30-49	470	0.76	355	0.78	
50+	51	0.08	15	0.03	
Unk	1	0.00	0	0.00	
TOTAL	618	1.00	453	1.00	
Race/Ethnicity					
White	62	0.10	30	0.07	
Black	314	0.51	266	0.59	
Hispanic	238	0.39	155	0.34	
Asian/PI	0	0.00	0	0.00	
Native Am	2	0.00	1	0.00	
Multi Race	1	0.00	0	0.00	
Other/Unk	1	0.00	1	0.00	
TOTAL	618	1.00	453	1.00	

* Cases reported and confirmed through December 2004

NEW YORK STATE (Excluding NYC) - PRISONERS

Table 8B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age and Race/Ethnicity
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	25	0.78	151	0.83
Female	7	0.22	30	0.17
TOTAL	32	1.00	181	1.00
Age Group				
<13	1	0.03	0	0.00
20-24	1	0.03	1	0.01
25-29	3	0.09	15	0.08
30-49	23	0.72	130	0.72
50+	4	0.13	35	0.19
TOTAL	32	1.00	181	1.00
Race/Ethnicity				
White	0	0.00	17	0.09
Black	24	0.75	101	0.56
Hispanic	8	0.25	57	0.31
Asian/PI	0	0.00	1	0.01
Native Am	0	0.00	3	0.02
Multi Race	0	0.00	2	0.01
TOTAL	32	1.00	181	1.00

*Cases reported and confirmed through December 2004

**NEW YORK STATE (Excluding NYC)
by Ryan White Region**

**Table 9A
Living HIV/AIDS Cases*
Diagnosed through December 2003**

(Includes Prisoners)

Ryan White Region	Living HIV	AIDS	
		Living	Cumulative
Albany	1,454	1,808	3,851
Binghamton	140	167	344
Buffalo	1,201	1,464	3,110
Lower Hudson	1,176	2,640	5,960
Mid Hudson	1,069	1,859	4,285
Nassau/Suffolk	1,336	2,896	7,421
Rochester	982	1,312	2,824
Syracuse	1,198	1,582	3,139
Unk	0	0	1
TOTAL	8,556	13,728	30,935

(Excludes Prisoners)

Ryan White Region	Living HIV	AIDS	
		Living	Cumulative
Albany	787	1,076	2,411
Binghamton	132	155	326
Buffalo	658	967	2,256
Lower Hudson	909	2,310	5,417
Mid Hudson	623	1,210	2,975
Nassau/Suffolk	1,294	2,848	7,319
Rochester	701	1,105	2,455
Syracuse	513	864	1,884
Unk	0	0	1
TOTAL	5,617	10,535	25,044

*cases reported and confirmed through December 2004

**NEW YORK STATE (Excluding NYC)
by Ryan White Region**

**Table 9B
Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2003 - December 2003**

(Includes Prisoners)

Ryan White Region	Initial HIV	Initial AIDS
Albany	70	141
Binghamton	5	22
Buffalo	55	125
Lower Hudson	79	193
Mid Hudson	55	155
Nassau/Suffolk	132	225
Rochester	75	107
Syracuse	54	94
TOTAL	525	1,062

(Excludes Prisoners)

Ryan White Region	Initial HIV	Initial AIDS
Albany	61	98
Binghamton	5	21
Buffalo	52	101
Lower Hudson	76	174
Mid Hudson	50	105
Nassau/Suffolk	129	220
Rochester	70	93
Syracuse	50	69
TOTAL	493	881

*Cases reported and confirmed through Dec. 2004

Ryan White Region: Albany

Page 33

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV**		AIDS***			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	476	0.60	756	0.70	1,850	0.77
Female	311	0.40	320	0.30	561	0.23
Unknown	0	0.00	0	0.00	0	0.00
TOTAL	787	1.00	1,076	1.00	2,411	1.00
Age Group						
<13	33	0.04	12	0.01	28	0.01
13-19	34	0.04	11	0.01	18	0.01
20-24	93	0.12	29	0.03	72	0.03
25-29	129	0.16	128	0.12	301	0.12
30-49	439	0.56	796	0.74	1,744	0.72
50+	56	0.07	100	0.09	248	0.10
Unk	3	0.00	0	0.00	0	0.00
TOTAL	787	1.00	1,076	1.00	2,411	1.00
Race/Ethnicity						
White	405	0.51	537	0.50	1,341	0.56
Black	279	0.35	395	0.37	761	0.32
Hispanic	87	0.11	133	0.12	290	0.12
Asian/PI	5	0.01	4	0.00	6	0.00
Native Am	5	0.01	2	0.00	4	0.00
Multi Race	0	0.00	3	0.00	3	0.00
Other/Unk	6	0.01	2	0.00	6	0.00
TOTAL	787	1.00	1,076	1.00	2,411	1.00
Risk						
MSM	262	0.33	344	0.32	886	0.37
IDU	120	0.15	268	0.25	702	0.29
MSM/IDU	16	0.02	34	0.03	100	0.04
Heterosexual	172	0.22	170	0.16	281	0.12
Blood Prod.	7	0.01	11	0.01	49	0.02
Pediatric risk	21	0.03	12	0.01	28	0.01
Other/Unk	189	0.24	237	0.22	365	0.15
TOTAL	787	1.00	1,076	1.00	2,411	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Albany

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	35	0.57	67	0.68
Female	26	0.43	31	0.32
TOTAL	61	1.00	98	1.00
Age Group				
<13	2	0.03	0	0.00
13-19	7	0.11	0	0.00
20-24	5	0.08	0	0.00
25-29	6	0.10	6	0.06
30-49	35	0.57	71	0.72
50+	6	0.10	21	0.21
TOTAL	61	1.00	98	1.00
Race/Ethnicity				
White	27	0.44	45	0.46
Black	29	0.48	42	0.43
Hispanic	5	0.08	10	0.10
Native Am	0	0.00	1	0.01
TOTAL	61	1.00	98	1.00
Risk				
MSM	16	0.26	32	0.33
IDU	3	0.05	15	0.15
MSM/IDU	0	0.00	4	0.04
Heterosexual	20	0.33	16	0.16
Bld/hemop/trans	0	0.00	3	0.03
Pediatric risk	2	0.03	0	0.00
Other/Unk	20	0.33	28	0.29
TOTAL	61	1.00	98	1.00

* Excludes Prisoners
 Cases reported and confirmed through December 2004

Ryan White Region: Binghamton
 (Includes counties of: Broome, Chenango, Tioga)

Table 11A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV**		AIDS***			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	84	0.64	107	0.69	248	0.76
Female	48	0.36	48	0.31	78	0.24
TOTAL	132	1.00	155	1.00	326	1.00
Age Group						
<13	6	0.05	0	0.00	1	0.00
13-19	3	0.02	2	0.01	4	0.01
20-24	12	0.09	6	0.04	12	0.04
25-29	21	0.16	9	0.06	36	0.11
30-49	82	0.62	121	0.78	240	0.74
50+	8	0.06	17	0.11	33	0.10
TOTAL	132	1.00	155	1.00	326	1.00
Race/Ethnicity						
White	77	0.58	94	0.61	223	0.68
Black	34	0.26	43	0.28	73	0.22
Hispanic	20	0.15	17	0.11	29	0.09
Native Am	0	0.00	1	0.01	1	0.00
Other/Unk	1	0.01	0	0.00	0	0.00
TOTAL	132	1.00	155	1.00	326	1.00
Risk						
MSM	30	0.23	58	0.37	139	0.43
IDU	33	0.25	36	0.23	78	0.24
MSM/IDU	4	0.03	5	0.03	20	0.06
Heterosexual	22	0.17	19	0.12	35	0.11
Blood Prod.	0	0.00	2	0.01	4	0.01
Pediatric risk	6	0.05	1	0.01	4	0.01
Other/Unk	37	0.28	34	0.22	46	0.14
TOTAL	132	1.00	155	1.00	326	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Binghamton
(Includes counties of: Broome, Chenango, Tioga)

Table 11B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	5	1.00	16	0.76
Female	0	0.00	5	0.24
TOTAL	5	1.00	21	1.00
Age Group				
25-29	2	0.40	1	0.05
30-49	3	0.60	19	0.90
50+	0	0.00	1	0.05
TOTAL	5	1.00	21	1.00
Race/Ethnicity				
White	3	0.60	13	0.62
Black	1	0.20	5	0.24
Hispanic	0	0.00	3	0.14
Other/Unk	1	0.20	0	0.00
TOTAL	5	1.00	21	1.00
Risk				
MSM	2	0.40	8	0.38
IDU	0	0.00	3	0.14
Heterosexual	0	0.00	3	0.14
Other/Unk	3	0.60	7	0.33
TOTAL	5	1.00	21	1.00

* Excludes Prisoners
Cases reported and confirmed through December 2004

Ryan White Region: Buffalo

(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

Table 12A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV**		AIDS***			
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	400	0.61	706	0.73	1,755	0.78
Female	258	0.39	261	0.27	501	0.22
Unk	0	0.00	0	0.00	0	0.00
TOTAL	658	1.00	967	1.00	2,256	1.00
Age Group						
<13	17	0.03	5	0.01	18	0.01
13-19	39	0.06	14	0.01	21	0.01
20-24	80	0.12	40	0.04	91	0.04
25-29	110	0.17	96	0.10	269	0.12
30-49	373	0.57	694	0.72	1,560	0.69
50+	39	0.06	118	0.12	297	0.13
TOTAL	658	1.00	967	1.00	2,256	1.00
Race/Ethnicity						
White	253	0.38	388	0.40	992	0.44
Black	295	0.45	426	0.44	974	0.43
Hispanic	99	0.15	126	0.13	249	0.11
Asian/PI	3	0.00	6	0.01	9	0.00
Native Am	1	0.00	9	0.01	12	0.01
Multi Race	4	0.01	9	0.01	9	0.00
Other/Unk	3	0.00	3	0.00	11	0.00
TOTAL	658	1.00	967	1.00	2,256	1.00
Risk						
MSM	216	0.33	391	0.40	979	0.43
IDU	134	0.20	220	0.23	638	0.28
MSM/IDU	17	0.03	42	0.04	98	0.04
Heterosexual	218	0.33	233	0.24	378	0.17
Blood Prod.	4	0.01	11	0.01	40	0.02
Pediatric risk	15	0.02	7	0.01	21	0.01
Other/Unk	54	0.08	63	0.07	102	0.05
TOTAL	658	1.00	967	1.00	2,256	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Buffalo

(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara
Orleans, Wyoming)

Table 12B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	32	0.62	75	0.74
Female	20	0.38	26	0.26
TOTAL	52	1.00	101	1.00
Age Group				
13-19	3	0.06	2	0.02
20-24	10	0.19	4	0.04
25-29	5	0.10	3	0.03
30-49	26	0.50	71	0.70
50+	8	0.15	21	0.21
TOTAL	52	1.00	101	1.00
Race/Ethnicity				
White	15	0.29	33	0.33
Black	31	0.60	51	0.50
Hispanic	5	0.10	15	0.15
Asian/PI	0	0.00	1	0.01
Native Am	0	0.00	1	0.01
Multi Race	1	0.02	0	0.00
TOTAL	52	1.00	101	1.00
Risk				
MSM	16	0.31	38	0.38
IDU	7	0.13	15	0.15
MSM/IDU	2	0.04	5	0.05
Heterosexual	11	0.21	37	0.37
Bld/hemop/trans	1	0.02	0	0.00
Other/Unk	15	0.29	6	0.06
TOTAL	52	1.00	101	1.00

* Excludes Prisoners
Cases reported and confirmed through December 2004

Ryan White Region: Lower Hudson
 (Includes counties of: Putnam, Rockland, Westchester)

Table 13A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV**		AIDS***			
	Number	Percent	Living		Cumulative	
			Number	Percent	Number	Percent
Gender						
Male	523	0.58	1,529	0.66	3,901	0.72
Female	385	0.42	781	0.34	1,516	0.28
Unk	1	0.00	0	0.00	0	0.00
TOTAL	909	1.00	2,310	1.00	5,417	1.00
Age Group						
<13	43	0.05	30	0.01	83	0.02
13-19	23	0.03	26	0.01	36	0.01
20-24	63	0.07	46	0.02	114	0.02
25-29	73	0.08	190	0.08	474	0.09
30-49	551	0.61	1,737	0.75	3,954	0.73
50+	113	0.12	281	0.12	756	0.14
Unk	43	0.05	0	0.00	0	0.00
TOTAL	909	1.00	2,310	1.00	5,417	1.00
Race/Ethnicity						
White	245	0.27	600	0.26	1,793	0.33
Black	464	0.51	1,209	0.52	2,664	0.49
Hispanic	189	0.21	471	0.20	913	0.17
Asian/PI	3	0.00	3	0.00	14	0.00
Native Am	1	0.00	3	0.00	4	0.00
Multi Race	5	0.01	18	0.01	19	0.00
Other/Unk	2	0.00	6	0.00	10	0.00
TOTAL	909	1.00	2,310	1.00	5,417	1.00
Risk						
MSM	171	0.19	465	0.20	1,316	0.24
IDU	190	0.21	864	0.37	2,354	0.43
MSM/IDU	15	0.02	78	0.03	195	0.04
Heterosexual	319	0.35	614	0.27	972	0.18
Blood Prod.	5	0.01	16	0.01	71	0.01
Pediatric risk	32	0.04	30	0.01	85	0.02
Other/Unk	177	0.19	243	0.11	424	0.08
TOTAL	909	1.00	2,310	1.00	5,417	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Lower Hudson
 (Includes counties of: Putnam, Rockland, Westchester)

Table 13B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	49	0.64	116	0.67
Female	27	0.36	58	0.33
TOTAL	76	1.00	174	1.00
Age Group				
13-19	0	0.00	2	0.01
20-24	9	0.12	4	0.02
25-29	5	0.07	6	0.03
30-49	51	0.67	124	0.71
50+	9	0.12	38	0.22
Other/Unk	2	0.03	0	0.00
TOTAL	76	1.00	174	1.00
Race/Ethnicity				
White	16	0.21	34	0.20
Black	40	0.53	94	0.54
Hispanic	18	0.24	45	0.26
Asian/PI	1	0.01	0	0.00
Native Am	1	0.01	0	0.00
Multi Race	0	0.00	1	0.01
TOTAL	76	1.00	174	1.00
Risk				
MSM	15	0.20	34	0.20
IDU	8	0.11	43	0.25
MSM/IDU	0	0.00	4	0.02
Heterosexual	14	0.18	57	0.33
Pediatric risk	0	0.00	1	0.01
Other/Unk	39	0.51	35	0.20
TOTAL	76	1.00	174	1.00

* Excludes Prisoners
 Cases reported and confirmed through December 2004

Ryan White Region: Mid-Hudson
 (Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV**		AIDS***			
	Number	Percent	Living		Cumulative	
			Number	Percent	Number	Percent
Gender						
Male	361	0.58	838	0.69	2,255	0.76
Female	262	0.42	372	0.31	720	0.24
TOTAL	623	1.00	1,210	1.00	2,975	1.00
Age Group						
<13	28	0.04	15	0.01	38	0.01
13-19	13	0.02	13	0.01	18	0.01
20-24	34	0.05	31	0.03	65	0.02
25-29	49	0.08	105	0.09	267	0.09
30-49	403	0.65	905	0.75	2,227	0.75
50+	65	0.10	141	0.12	360	0.12
Unk	31	0.05	0	0.00	0	0.00
TOTAL	623	1.00	1,210	1.00	2,975	1.00
Race/Ethnicity						
White	277	0.44	442	0.37	1,177	0.40
Black	233	0.37	488	0.40	1,109	0.37
Hispanic	107	0.17	268	0.22	668	0.22
Asian/PI	3	0.00	0	0.00	4	0.00
Native Am	1	0.00	2	0.00	4	0.00
Multi Race	2	0.00	7	0.01	8	0.00
Other/Unk	0	0.00	3	0.00	5	0.00
TOTAL	623	1.00	1,210	1.00	2,975	1.00
Risk						
MSM	123	0.20	228	0.19	637	0.21
IDU	192	0.31	490	0.40	1,440	0.48
MSM/IDU	16	0.03	40	0.03	104	0.03
Heterosexual	198	0.32	276	0.23	440	0.15
Blood Prod.	3	0.00	9	0.01	40	0.01
Pediatric risk	25	0.04	16	0.01	39	0.01
Other/Unk	66	0.11	151	0.12	275	0.09
TOTAL	623	1.00	1,210	1.00	2,975	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Mid-Hudson
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	24	0.48	67	0.64
Female	26	0.52	38	0.36
TOTAL	50	1.00	105	1.00
Age Group				
13-19	2	0.04	2	0.02
20-24	4	0.08	2	0.02
25-29	7	0.14	7	0.07
30-49	29	0.58	70	0.67
50+	8	0.16	24	0.23
TOTAL	50	1.00	105	1.00
Race/Ethnicity				
White	22	0.44	34	0.32
Black	18	0.36	49	0.47
Hispanic	9	0.18	22	0.21
Asian/PI	1	0.02	0	0.00
TOTAL	50	1.00	105	1.00
Risk				
MSM	12	0.24	27	0.26
IDU	7	0.14	24	0.23
MSM/IDU	0	0.00	1	0.01
Heterosexual	13	0.26	29	0.28
Bld/hemop/trans	0	0.00	1	0.01
Other/Unk	18	0.36	23	0.22
TOTAL	50	1.00	105	1.00

* Excludes Prisoners

Cases reported and confirmed through December 2004

Ryan White Region: Nassau/Suffolk
(Includes counties of: Nassau, Suffolk)

Table 15A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV**		AIDS***			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	738	0.57	1,971	0.69	5,445	0.74
Female	556	0.43	877	0.31	1,874	0.26
Unk	0	0.00	0	0.00	0	0.00
TOTAL	1,294	1.00	2,848	1.00	7,319	1.00
Age Group						
<13	91	0.07	35	0.01	110	0.02
13-19	38	0.03	35	0.01	54	0.01
20-24	85	0.07	86	0.03	175	0.02
25-29	145	0.11	252	0.09	708	0.10
30-49	797	0.62	2,095	0.74	5,335	0.73
50+	116	0.09	345	0.12	937	0.13
Unk	22	0.02	0	0.00	0	0.00
TOTAL	1,294	1.00	2,848	1.00	7,319	1.00
Race/Ethnicity						
White	507	0.39	1,189	0.42	3,580	0.49
Black	534	0.41	1,170	0.41	2,804	0.38
Hispanic	217	0.17	450	0.16	871	0.12
Asian/PI	10	0.01	14	0.00	28	0.00
Native Am	5	0.00	5	0.00	10	0.00
Multi Race	5	0.00	16	0.01	16	0.00
Other/Unk	16	0.01	4	0.00	10	0.00
TOTAL	1,294	1.00	2,848	1.00	7,319	1.00
Risk						
MSM	320	0.25	753	0.26	2,120	0.29
IDU	200	0.15	780	0.27	2,656	0.36
MSM/IDU	26	0.02	120	0.04	338	0.05
Heterosexual	276	0.21	456	0.16	855	0.12
Blood Prod.	13	0.01	38	0.01	160	0.02
Pediatric risk	53	0.04	38	0.01	117	0.02
Other/Unk	406	0.31	663	0.23	1,073	0.15
TOTAL	1,294	1.00	2,848	1.00	7,319	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Nassau/Suffolk
(Includes counties of: Nassau, Suffolk)

Table 15B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	86	0.67	140	0.64
Female	43	0.33	80	0.36
TOTAL	129	1.00	220	1.00
Age Group				
<13	2	0.02	0	0.00
13-19	8	0.06	1	0.00
20-24	17	0.13	6	0.03
25-29	14	0.11	15	0.07
30-49	77	0.60	145	0.66
50+	11	0.09	53	0.24
TOTAL	129	1.00	220	1.00
Race/Ethnicity				
White	43	0.33	76	0.35
Black	56	0.43	103	0.47
Hispanic	28	0.22	38	0.17
Asian/PI	1	0.01	0	0.00
Native Am	1	0.01	0	0.00
Multi Race	0	0.00	3	0.01
TOTAL	129	1.00	220	1.00
Risk				
MSM	41	0.32	46	0.21
IDU	9	0.07	38	0.17
MSM/IDU	1	0.01	2	0.01
Heterosexual	13	0.10	33	0.15
Bld/hemop/tran	1	0.01	2	0.01
Pediatric risk	1	0.01	0	0.00
Other/Unk	63	0.49	99	0.45
TOTAL	129	1.00	220	1.00

* Excludes Prisoners

Cases reported and confirmed through December 2004

Ryan White Region: Rochester

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)

Table 16A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV**		AIDS***			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	465	0.66	767	0.69	1,855	0.76
Female	236	0.34	338	0.31	600	0.24
Unk	0	0.00	0	0.00	0	0.00
TOTAL	701	1.00	1,105	1.00	2,455	1.00
Age Group						
<13	15	0.02	7	0.01	19	0.01
13-19	25	0.04	4	0.00	11	0.00
20-24	52	0.07	21	0.02	61	0.02
25-29	113	0.16	147	0.13	307	0.13
30-49	423	0.60	828	0.75	1,800	0.73
50+	73	0.10	98	0.09	257	0.10
TOTAL	701	1.00	1,105	1.00	2,455	1.00
Race/Ethnicity						
White	293	0.42	473	0.43	1,222	0.50
Black	303	0.43	470	0.43	932	0.38
Hispanic	98	0.14	150	0.14	284	0.12
Asian/PI	0	0.00	3	0.00	5	0.00
Native Am	3	0.00	1	0.00	3	0.00
Multi Race	1	0.00	7	0.01	7	0.00
Other/Unk	3	0.00	1	0.00	2	0.00
TOTAL	701	1.00	1,105	1.00	2,455	1.00
Risk						
MSM	241	0.34	336	0.30	898	0.37
IDU	128	0.18	297	0.27	755	0.31
MSM/IDU	14	0.02	36	0.03	102	0.04
Heterosexual	96	0.14	147	0.13	237	0.10
Blood Prod.	1	0.00	12	0.01	41	0.02
Pediatric risk	11	0.02	9	0.01	20	0.01
Other/Unk	210	0.30	268	0.24	402	0.16
TOTAL	701	1.00	1,105	1.00	2,455	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Rochester

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Steuben, Wayne, Yates)

Table 16B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	49	0.70	63	0.68
Female	21	0.30	30	0.32
TOTAL	70	1.00	93	1.00
Age Group				
13-19	4	0.06	0	0.00
20-24	6	0.09	2	0.02
25-29	4	0.06	5	0.05
30-49	43	0.61	77	0.83
50+	13	0.19	9	0.10
TOTAL	70	1.00	93	1.00
Race/Ethnicity				
White	15	0.21	40	0.43
Black	43	0.61	39	0.42
Hispanic	10	0.14	13	0.14
Asian/PI	0	0.00	1	0.01
Multi Race	1	0.01	0	0.00
Other/Unk	1	0.01	0	0.00
TOTAL	70	1.00	93	1.00
Risk				
MSM	15	0.21	26	0.28
IDU	12	0.17	17	0.18
MSM/IDU	0	0.00	2	0.02
Heterosexual	7	0.10	16	0.17
Bld/hemop/trans	0	0.00	1	0.01
Other/Unk	36	0.51	31	0.33
TOTAL	70	1.00	93	1.00

* Excludes Prisoners

Cases reported and confirmed through December 2004

Ryan White Region: Syracuse

Page 47

(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	HIV**		AIDS***			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	324	0.63	619	0.72	1,470	0.78
Female	189	0.37	245	0.28	414	0.22
Unk	0	0.00	0	0.00	0	0.00
TOTAL	513	1.00	864	1.00	1,884	1.00
Age Group						
<13	18	0.04	4	0.00	12	0.01
13-19	28	0.05	9	0.01	21	0.01
20-24	49	0.10	46	0.05	80	0.04
25-29	74	0.14	105	0.12	247	0.13
30-49	306	0.60	624	0.72	1,352	0.72
50+	36	0.07	76	0.09	172	0.09
Other/Unk	2	0.00	0	0.00	0	0.00
TOTAL	513	1.00	864	1.00	1,884	1.00
Race/Ethnicity						
White	267	0.52	453	0.52	1,115	0.59
Black	174	0.34	313	0.36	588	0.31
Hispanic	56	0.11	85	0.10	166	0.09
Asian/PI	4	0.01	7	0.01	7	0.00
Native Am	4	0.01	3	0.00	4	0.00
Multi Race	4	0.01	2	0.00	3	0.00
Other/Unk	4	0.01	1	0.00	1	0.00
TOTAL	513	1.00	864	1.00	1,884	1.00
Risk						
MSM	174	0.34	313	0.36	775	0.41
IDU	86	0.17	172	0.20	444	0.24
MSM/IDU	12	0.02	37	0.04	103	0.05
Heterosexual	137	0.27	182	0.21	282	0.15
Blood Prod.	1	0.00	19	0.02	59	0.03
Pediatric risk	13	0.03	8	0.01	20	0.01
Other/Unk	90	0.18	133	0.15	201	0.11
TOTAL	513	1.00	864	1.00	1,884	1.00

*Excludes Prisoners

**All cases reported and confirmed from June 2000 - December 2004

***All cases reported and confirmed from 1983 - December 2004

Ryan White Region: Syracuse

(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	32	0.64	50	0.72
Female	18	0.36	19	0.28
TOTAL	50	1.00	69	1.00
Age Group				
<13	1	0.02	0	0.00
13-19	4	0.08	0	0.00
20-24	6	0.12	2	0.03
25-29	5	0.10	8	0.12
30-49	27	0.54	50	0.72
50+	7	0.14	9	0.13
TOTAL	50	1.00	69	1.00
Race/Ethnicity				
White	23	0.46	32	0.46
Black	20	0.40	29	0.42
Hispanic	5	0.10	6	0.09
Asian/PI	0	0.00	2	0.03
Native Am	1	0.02	0	0.00
Multi Race	1	0.02	0	0.00
TOTAL	50	1.00	69	1.00
Risk				
MSM	21	0.42	21	0.30
IDU	1	0.02	10	0.14
MSM/IDU	0	0.00	6	0.09
Heterosexual	15	0.30	16	0.23
Pediatric risk	1	0.02	0	0.00
Other/Unk	12	0.24	16	0.23
TOTAL	50	1.00	69	1.00

* Excludes Prisoners

Cases reported and confirmed through December 2004

**New York City :
by Borough**

**Table 18
HIV/AIDS Cases
Diagnosed through December 2003**

Borough	Living HIV*	AIDS**	
		Living	Cumulative
Bronx	6,630	11,197	27,392
Brooklyn	6,691	13,658	34,984
Manhattan	9,492	16,815	46,482
Queens	3,386	7,834	18,321
Staten Island	549	985	2,701
TOTAL	26,748	50,489	129,880

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2003 - December 2003

Borough	HIV	AIDS
Bronx	746	1,093
Brooklyn	720	1,247
Manhattan	881	1,553
Queens	408	607
Staten Island	52	76
TOTAL	2,807	4,576

*Cases reported and confirmed through December 2004

Borough: Bronx

Table 19A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	3,451	0.52	6,996	0.62	18,113	0.66
Female	3,177	0.48	4,201	0.38	9,279	0.34
Unk	2	0.00	0	0.00	0	0.00
TOTAL	6,630	1.00	11,197	1.00	27,392	1.00
Age Group						
<13	543	0.08	220	0.02	587	0.02
13-19	169	0.03	117	0.01	158	0.01
20-24	511	0.08	361	0.03	733	0.03
25-29	747	0.11	1,005	0.09	2,578	0.09
30-49	3,900	0.59	8,024	0.72	19,596	0.72
50+	748	0.11	1,470	0.13	3,740	0.14
Unk	12	0.00	0	0.00	0	0.00
TOTAL	6,630	1.00	11,197	1.00	27,392	1.00
Race/Ethnicity						
White	337	0.05	647	0.06	1,850	0.07
Black	3,149	0.47	4,811	0.43	11,565	0.42
Hispanic	3,015	0.45	5,662	0.51	13,850	0.51
Asian/PI	22	0.00	35	0.00	79	0.00
Native Am	7	0.00	6	0.00	9	0.00
Multi Race	1	0.00	1	0.00	1	0.00
Other/Unk	99	0.01	35	0.00	38	0.00
TOTAL	6,630	1.00	11,197	1.00	27,392	1.00
Risk						
MSM	743	0.11	1,449	0.13	4,032	0.15
IDU	963	0.15	3,984	0.36	13,133	0.48
MSM/IDU	73	0.01	232	0.02	776	0.03
Heterosexual	1,044	0.16	2,032	0.18	3,932	0.14
Blood Prod.	27	0.00	70	0.01	164	0.01
Pediatric risk	478	0.07	249	0.02	615	0.02
Other/Unk	3,302	0.50	3,181	0.28	4,740	0.17
TOTAL	6,630	1.00	11,197	1.00	27,392	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Borough: Bronx

Table 19B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	431	0.58	631	0.58
Female	315	0.42	462	0.42
TOTAL	746	1.00	1,093	1.00
Age Group				
<13	4	0.01	3	0.00
13-19	29	0.04	9	0.01
20-24	69	0.09	38	0.03
25-29	96	0.13	75	0.07
30-49	443	0.59	736	0.67
50+	105	0.14	232	0.21
TOTAL	746	1.00	1,093	1.00
Race/Ethnicity				
White	31	0.04	64	0.06
Black	380	0.51	524	0.48
Hispanic	326	0.44	493	0.45
Asian/PI	3	0.00	5	0.00
Native Am	3	0.00	2	0.00
Other/Unk	3	0.00	5	0.00
TOTAL	746	1.00	1,093	1.00
Risk				
MSM	130	0.17	133	0.12
IDU	80	0.11	194	0.18
MSM/IDU	6	0.01	12	0.01
Heterosexual	117	0.16	193	0.18
Bld/hemop/trans	5	0.01	11	0.01
Pediatric risk	4	0.01	2	0.00
Other/Unk	404	0.54	548	0.50
TOTAL	746	1.00	1,093	1.00

* Cases reported and confirmed through December 2004

Borough: Brooklyn

Table 20A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	3,660	0.55	8,766	0.64	23,917	0.68
Female	2,848	0.43	4,892	0.36	11,067	0.32
Unk	183	0.03	0	0.00	0	0.00
TOTAL	6,691	1.00	13,658	1.00	34,984	1.00
Age Group						
<13	442	0.07	251	0.02	703	0.02
13-19	181	0.03	154	0.01	223	0.01
20-24	517	0.08	467	0.03	989	0.03
25-29	810	0.12	1,309	0.10	3,477	0.10
30-49	3,945	0.59	9,650	0.71	24,788	0.71
50+	795	0.12	1,827	0.13	4,804	0.14
Unk	1	0.00	0	0.00	0	0.00
TOTAL	6,691	1.00	13,658	1.00	34,984	1.00
Race/Ethnicity						
White	871	0.13	1,560	0.11	4,796	0.14
Black	4,021	0.60	8,406	0.62	20,925	0.60
Hispanic	1,436	0.21	3,523	0.26	9,011	0.26
Asian/PI	60	0.01	107	0.01	180	0.01
Native Am	4	0.00	7	0.00	10	0.00
Multi Race	1	0.00	1	0.00	1	0.00
Other/Unk	298	0.04	54	0.00	61	0.00
TOTAL	6,691	1.00	13,658	1.00	34,984	1.00
Risk						
MSM	1,229	0.18	2,329	0.17	6,528	0.19
IDU	772	0.12	3,882	0.28	14,479	0.41
MSM/IDU	63	0.01	219	0.02	750	0.02
Heterosexual	1,181	0.18	2,301	0.17	4,426	0.13
Blood Prod.	24	0.00	95	0.01	277	0.01
Pediatric risk	362	0.05	254	0.02	699	0.02
Other/Unk	3,060	0.46	4,578	0.34	7,825	0.22
TOTAL	6,691	1.00	13,658	1.00	34,984	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Borough: Brooklyn

Table 20B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	429	0.60	791	0.63
Female	291	0.40	456	0.37
TOTAL	720	1.00	1,247	1.00
Age Group				
<13	4	0.01	1	0.00
13-19	31	0.04	9	0.01
20-24	78	0.11	51	0.04
25-29	86	0.12	73	0.06
30-49	417	0.58	822	0.66
50+	104	0.14	291	0.23
TOTAL	720	1.00	1,247	1.00
Race/Ethnicity				
White	72	0.10	126	0.10
Black	517	0.72	822	0.66
Hispanic	120	0.17	271	0.22
Asian/PI	9	0.01	19	0.02
Native Am	0	0.00	1	0.00
Other/Unk	2	0.00	8	0.01
TOTAL	720	1.00	1,247	1.00
Risk				
MSM	162	0.23	246	0.20
IDU	67	0.09	159	0.13
MSM/IDU	7	0.01	10	0.01
Heterosexual	107	0.15	183	0.15
Bld/hemop/tran	1	0.00	5	0.00
Pediatric risk	4	0.01	0	0.00
Other/Unk	372	0.52	644	0.52
TOTAL	720	1.00	1,247	1.00

* Cases reported and confirmed through December 2004

Borough: Manhattan

Table 21A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	7,366	0.78	13,434	0.80	38,492	0.83
Female	2,092	0.22	3,381	0.20	7,990	0.17
Unk	34	0.00	0	0.00	0	0.00
TOTAL	9,492	1.00	16,815	1.00	46,482	1.00
Age Group						
<13	335	0.04	141	0.01	401	0.01
13-19	135	0.01	76	0.00	112	0.00
20-24	543	0.06	364	0.02	808	0.02
25-29	1,084	0.11	1,548	0.09	4,095	0.09
30-49	6,252	0.66	12,286	0.73	33,734	0.73
50+	1,140	0.12	2,400	0.14	7,332	0.16
Unk	3	0.00	0	0.00	0	0.00
TOTAL	9,492	1.00	16,815	1.00	46,482	1.00
Race/Ethnicity						
White	3,553	0.37	5,787	0.34	17,422	0.37
Black	3,047	0.32	6,121	0.36	16,405	0.35
Hispanic	2,330	0.25	4,579	0.27	12,074	0.26
Asian/PI	143	0.02	194	0.01	421	0.01
Native Am	12	0.00	7	0.00	19	0.00
Multi Race	2	0.00	5	0.00	5	0.00
Other/Unk	405	0.04	122	0.01	136	0.00
TOTAL	9,492	1.00	16,815	1.00	46,482	1.00
Risk						
MSM	4,052	0.43	6,952	0.41	21,401	0.46
IDU	759	0.08	4,131	0.25	14,648	0.32
MSM/IDU	107	0.01	350	0.02	1,432	0.03
Heterosexual	932	0.10	1,525	0.09	2,945	0.06
Blood Prod.	27	0.00	59	0.00	207	0.00
Pediatric risk	280	0.03	152	0.01	407	0.01
Other/Unk	3,335	0.35	3,646	0.22	5,442	0.12
TOTAL	9,492	1.00	16,815	1.00	46,482	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Borough: Manhattan

Table 21B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	704	0.80	1,191	0.77
Female	177	0.20	362	0.23
TOTAL	881	1.00	1,553	1.00
Age Group				
<13	3	0.00	1	0.00
13-19	20	0.02	8	0.01
20-24	79	0.09	32	0.02
25-29	101	0.11	77	0.05
30-49	571	0.65	1,105	0.71
50+	107	0.12	330	0.21
TOTAL	881	1.00	1,553	1.00
Race/Ethnicity				
White	285	0.32	461	0.30
Black	319	0.36	639	0.41
Hispanic	249	0.28	412	0.27
Asian/PI	20	0.02	19	0.01
Native Am	3	0.00	3	0.00
Other/Unk	5	0.01	19	0.01
TOTAL	881	1.00	1,553	1.00
Risk				
MSM	412	0.47	546	0.35
IDU	68	0.08	190	0.12
MSM/IDU	7	0.01	17	0.01
Heterosexual	78	0.09	202	0.13
Bld/hemop/tran	1	0.00	9	0.01
Pediatric risk	2	0.00	1	0.00
Other/Unk	313	0.36	588	0.38
TOTAL	881	1.00	1,553	1.00

* Cases reported and confirmed through December 2004

Borough: Queens

Table 22A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV*		AIDS**			
			Living		Cumulative	
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	2,179	0.64	5,547	0.71	13,729	0.75
Female	1,206	0.36	2,287	0.29	4,592	0.25
Unk	1	0.00	0	0.00	0	0.00
TOTAL	3,386	1.00	7,834	1.00	18,321	1.00
Age Group						
<13	161	0.05	101	0.01	277	0.02
13-19	77	0.02	70	0.01	94	0.01
20-24	244	0.07	264	0.03	490	0.03
25-29	450	0.13	844	0.11	1,819	0.10
30-49	2,140	0.63	5,636	0.72	13,378	0.73
50+	311	0.09	919	0.12	2,263	0.12
Unk	3	0.00	0	0.00	0	0.00
TOTAL	3,386	1.00	7,834	1.00	18,321	1.00
Race/Ethnicity						
White	711	0.21	1,535	0.20	4,526	0.25
Black	1,449	0.43	3,355	0.43	7,942	0.43
Hispanic	1,063	0.31	2,704	0.35	5,463	0.30
Asian/PI	81	0.02	190	0.02	328	0.02
Native Am	3	0.00	11	0.00	16	0.00
Multi Race	3	0.00	1	0.00	1	0.00
Other/Unk	76	0.02	38	0.00	45	0.00
TOTAL	3,386	1.00	7,834	1.00	18,321	1.00
Risk						
MSM	986	0.29	2,034	0.26	5,046	0.28
IDU	334	0.10	2,103	0.27	6,774	0.37
MSM/IDU	31	0.01	115	0.01	437	0.02
Heterosexual	690	0.20	1,296	0.17	2,168	0.12
Blood Prod.	18	0.01	59	0.01	182	0.01
Pediatric risk	132	0.04	122	0.02	292	0.02
Other/Unk	1,195	0.35	2,105	0.27	3,422	0.19
TOTAL	3,386	1.00	7,834	1.00	18,321	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Borough: Queens

Table 22B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 - December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	274	0.67	401	0.66
Female	134	0.33	206	0.34
TOTAL	408	1.00	607	1.00
Age Group				
13-19	14	0.03	5	0.01
20-24	39	0.10	21	0.03
25-29	63	0.15	46	0.08
30-49	258	0.63	421	0.69
50+	34	0.08	114	0.19
TOTAL	408	1.00	607	1.00
Race/Ethnicity				
White	72	0.18	84	0.14
Black	169	0.41	284	0.47
Hispanic	146	0.36	212	0.35
Asian/PI	18	0.04	20	0.03
Native Am	0	0.00	2	0.00
Other/Unk	3	0.01	5	0.01
TOTAL	408	1.00	607	1.00
Risk				
MSM	141	0.35	140	0.23
IDU	21	0.05	74	0.12
MSM/IDU	5	0.01	8	0.01
Heterosexual	75	0.18	126	0.21
Bld/hemop/trans	3	0.01	6	0.01
Pediatric risk	0	0.00	1	0.00
Other/Unk	163	0.40	252	0.42
TOTAL	408	1.00	607	1.00

* Cases reported and confirmed through December 2004

Borough: Staten Island

Table 23A
HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed Through December 2003

	Living HIV*		AIDS**			
	Number	Percent	Number	Percent	Number	Percent
Gender						
Male	312	0.57	642	0.65	1,936	0.72
Female	236	0.43	343	0.35	765	0.28
Unk	1	0.00	0	0.00	0	0.00
TOTAL	549	1.00	985	1.00	2,701	1.00
Age Group						
<13	31	0.06	15	0.02	43	0.02
13-19	13	0.02	10	0.01	14	0.01
20-24	35	0.06	25	0.03	63	0.02
25-29	48	0.09	81	0.08	213	0.08
30-49	365	0.66	746	0.76	2,053	0.76
50+	57	0.10	108	0.11	315	0.12
TOTAL	549	1.00	985	1.00	2,701	1.00
Race/Ethnicity						
White	170	0.31	378	0.38	1,243	0.46
Black	226	0.41	380	0.39	909	0.34
Hispanic	129	0.23	216	0.22	528	0.20
Asian/PI	8	0.01	2	0.00	9	0.00
Native Am	0	0.00	1	0.00	2	0.00
Multi Race	0	0.00	1	0.00	1	0.00
Other/Unk	16	0.03	7	0.01	9	0.00
TOTAL	549	1.00	985	1.00	2,701	1.00
Risk						
MSM	91	0.17	141	0.14	498	0.18
IDU	70	0.13	350	0.36	1,298	0.48
MSM/IDU	5	0.01	14	0.01	57	0.02
Heterosexual	77	0.14	171	0.17	321	0.12
Blood Prod.	4	0.01	10	0.01	44	0.02
Pediatric risk	17	0.03	16	0.02	44	0.02
Other/Unk	285	0.52	283	0.29	439	0.16
TOTAL	549	1.00	985	1.00	2,701	1.00

*All cases reported and confirmed from June 2000 - December 2004

**All cases reported and confirmed from 1983 - December 2004

Borough: Staten Island

Table 23B
Newly Diagnosed HIV/AIDS Cases*
by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2003 -December 2003

	Initial HIV		Initial AIDS	
	Number	Percent	Number	Percent
Gender				
Male	32	0.62	43	0.57
Female	20	0.38	33	0.43
TOTAL	52	1.00	76	1.00
Age Group				
<13	1	0.02	1	0.01
13-19	6	0.12	0	0.00
20-24	7	0.13	0	0.00
25-29	3	0.06	6	0.08
30-49	27	0.52	54	0.71
50+	8	0.15	15	0.20
TOTAL	52	1.00	76	1.00
Race/Ethnicity				
White	12	0.23	21	0.28
Black	26	0.50	38	0.50
Hispanic	11	0.21	14	0.18
Asian/PI	2	0.04	0	0.00
Other/Unk	1	0.02	3	0.04
TOTAL	52	1.00	76	1.00
Risk				
MSM	17	0.33	9	0.12
IDU	1	0.02	16	0.21
MSM/IDU	0	0.00	1	0.01
Heterosexual	8	0.15	14	0.18
Bld/hemop/trans	1	0.02	0	0.00
Pediatric risk	1	0.02	0	0.00
Other/Unk	24	0.46	36	0.47
TOTAL	52	1.00	76	1.00

*Cases reported and confirmed through December 2004